

**PETITION FOR EXTENSION OF TIME UNDER 37 CFR 1.136(a)**  
**(Small Entity)**

Docket No.  
ENVS-220

In Re Application Of: Csaba Truckai et al.

Serial No.  
09/103,072

Filing Date  
June 23, 1998

Examiner  
Ann Y. Lam

Group Art Unit  
3763

Invention: **MOISTURE TRANSPORT SYSTEM FOR CONTACT ELECTROCOAGULATION**



RECEIVED  
JUN 26 2003  
TECH CENTER 1600/2000

TO THE COMMISSIONER FOR PATENTS:

This is a request under the provisions of 37 CFR 1.136(a) to extend the period for filing a response to the Office Action of December 19, 2002 in the above-identified application.  
*Date*

The requested extension is as follows (check time period desired):

☐ One month    ☐ Two months    ☒ Three months    ☐ Four months    ☐ Five months

from: March 19, 2003  
*Date*

until: June 19, 2003  
*Date*

A verified statement of small entity status as a small entity under 37 CFR 1.27:

- ☐ is enclosed.  
☒ has already been filed in this application.

The fee for the extension of time is \$465 and is to be paid as follows:

- ☒ A check in the amount of the fee is enclosed.  
☒ The Director is hereby authorized to charge any fees which may be required, or credit any overpayment, to Deposit Account No. 50-1703  
☐ If an additional extension of time is required, please consider this a petition therefor and charge any additional fees which may be required to Deposit Account No. 50-1703

*Kathleen A. Frost*  
*Signature*

Dated: June 19, 2003

Kathleen A. Frost (Reg. No. 37,326)

STALLMAN & POLLOCK LLP  
121 Spear Street, Suite 290  
San Francisco, CA 94105

Telephone: (415) 512-1312  
Facsimile: (415) 512-1362

00000001 09103072

cc:

465.00 US

**EXPRESS MAIL CERTIFICATE**

I hereby certify that this correspondence is being deposited with the United States Postal Service "express Mail Service" Label No. EV338307584US postage paid in an envelope, addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on June 19, 2003

STALLMAN & POLLOCK LLP

Dated: 6/19/03 By:

*Georgia K. Smith*  
Georgia K. Smith